


# Computer Organisation


**IB Computer Science** 







# **HL Topics 1-7, D1-4**





1: System design



2: Computer Organisation



3: Networks



4: Computational thinking



5: Abstract data structures



6: Resource management



7: Control



D: OOP



## **HL & SL 2 Overview**

#### **Computer architecture**

- 2.1.1 Outline the architecture of the central processing unit (CPU) and the functions of the arithmetic logic unit (ALU) and the control unit (CU) and the registers within the CPU
- 2.1.2 Describe primary memory. 2 Distinguish between random access memory (RAM) and readonly memory (ROM), and their use in primary memory
- 2.1.3 Explain the use of cache memory
- 2.1.4 Explain the machine instruction cycle

#### **Secondary memory**

2.1.5 Identify the need for persistent storage

Operating systems and application systems

- 2.1.6 Describe the main functions of an operating system
- 2.1.7 Outline the use of a range of application software
- 2.1.8 Identify common features of applications

#### **Binary representation**

- 2.1.9 Define the terms: bit, byte, binary, denary/decimal, hexadecimal
- 2.1.10 Outline the way in which data is represented in the computer

#### Simple logic gates

- 2.1.11 Define the Boolean operators: AND, OR, NOT, NAND, NOR and XOR
- 2.1.12 Construct truth tables using the above operators
- 2.1.13 Construct a logic diagram using AND, OR, NOT, NAND, NOR and XOR gates



1: System design

2: Computer Organisation





3: Networks

4: Computational thinking





5: Abstract data structures

6: Resource management





7: Control


D: OOP







# **Topic 2.1.2**

Describe **primary memory**.











## RAM = Random Access Memory

- Contains the data and instructions the computer has loaded since starting up and everything the user has opened/loaded.
- Is volatile = loses its contents if power is lost
- Has a special link to the CPU





# ROM = Read Only Memory

- Originally its contents were static (hence 'read only') and could not be changed – not true any more ("flash upgrades").
- Non-volatile = does not lose its contents if power is lost
- Stores the BIOS (Basic Input Output System) a small program that allows the computer to know what to do to find the operating system to 'boot' the computer after power is restored.





RAM	ROM
Volatile	Non-volatile
Contains user's programs and data that has been loaded since 'booting up'	Contains the BIOS
Usually measured in Gigabytes (common capacities are 1GB, 2GB or 4GB)	Usually measured in Kilobytes (much smaller than RAM)





### Connections between RAM & CPU

- Control Bus (bi directional)
- Address Bus (uni directional From CPU to RAM only)
- Data Bus (bi directional)
- Bus = a set of wires that connect two components in a computer system

